

DCF系列厨房专用
柜式离心风机

安装使用说明书



DCF9性能参数表

参数 序号	功率 Kw	转速 r/min	流量 m ³ /h	全压 (pa)	噪音 dB(A)
1	0.55	1080	2664	186	≤65
			2530	206	
			1935	220	
			1684	234	
			1532	350	
2	0.75	1170	4194	268	≤67
			3793	298	
			3401	316	
			2999	337	
			2607	349	
3	1.1	1260	4544	313	≤68
			4109	349	
			3684	370	
			3249	396	
			2824	410	
4	1.5	1350	4893	365	≤70
			4425	404	
			3967	430	
			2499	460	
			3041	476	

DCF10性能参数表

参数 序号	功率 Kw	转速 r/min	流量 m ³ /h	全压 (pa)	噪音 dB(A)
1	0.55	1080	4043	220	≤61
			3647	240	
			3266	260	
			2830	275	
			2450	288	
2	0.75	1080	4491	270	≤62
			4051	300	
			3629	320	
			3144	340	
			2723	348	
3	1.1	1170	4941	328	≤63
			4456	360	
			3992	386	
			3548	409	
			2994	420	
4	1.5	1260	5390	390	≤63
			4862	430	
			4355	460	
			3773	487	
			3266	502	

DCF12性能参数表

参数 序号	功率 Kw	转速 r/min	流量 m ³ /h	全压 (pa)	噪音 dB(A)
1	1.1	1000	6615	332	≤62
			6024	365	
			5433	380	
			4842	397	
			4252	408	
2	1.5	1080	7350	410	≤63
			6694	450	
			6037	469	
			5380	490	
			4723	503	
3	2.2	1170	8820	592	≤64
			8032	648	
			7245	676	
			6456	707	
			5668	605	
4	3	1260	9555	335	≤65
			8701	762	
			7847	793	
			6994	691	
			6140	829	

DCF15性能参数表

参数 序号	功率 Kw	转速 r/min	流量 m ³ /h	全压 (pa)	噪音 dB(A)
1	1.5	730	11042	437	≤63
			9906	487	
			8861	506	
			7724	544	
			6598	408	
2	2.2	880	11691	450	≤64
			10487	546	
			9382	568	
			8179	595	
			6985	610	
3	3	970	12990	605	≤64
			11653	674	
			10425	701	
			9067	736	
			7762	752	
4	4	1030	13639	667	≤67
			12235	743	
			10945	774	
			9541	810	
			8150	829	

DCF18性能参数表

参数 序号	功率	转速	流量	全压	噪音
	Kw	r/min	m ³ /h	(pa)	dB(A)
1	2.2	700	13877	405	≤70
			12585	436	
			11294	459	
			10002	476	
			8711	490	
2	3	760	14868	464	≤71
			13484	500	
			12101	526	
			10717	548	
3	4	830	9334	564	≤72
			15859	529	
			14383	570	
			12907	598	
4	5.5	880	11431	622	≤74
			9956	642	
			17156	607	
			15560	654	
			13963	690	
			12367	716	
			10771	739	

DCF20性能参数表

参数 序号	功率	转速	流量	全压	噪音
	Kw	r/min	m ³ /h	(pa)	dB(A)
1	3	640	17991	430	≤71
			16361	483	
			14732	529	
			13112	556	
			11483	577	
2	4	700	19347	492	≤73
			17620	561	
			15865	614	
			14121	643	
3	5.5	760	12366	669	≤74
			21136	583	
			19221	654	
			17307	717	
4	7.5	810	15404	753	≤74
			13492	782	
			22142	651	
			20137	733	
			18131	801	
			16138	843	
			14133	873	

DCF22性能参数表

参数 序号	功率	转速	流量	全压	噪音
	Kw	r/min	m ³ /h	(pa)	dB(A)
1	4	640	23513	477	≤72
			21567	522	
			19621	571	
			17676	614	
			15730	628	
2	5.5	700	25321	553	≤73
			23225	606	
			21131	663	
			19036	698	
3	7.5	760	16940	728	≤74
			27129	634	
			24884	694	
			22644	762	
			20395	801	
4	11	810	18150	836	≤75
			29464	736	
			27027	805	
			24588	883	
			22150	928	
			19712	970	

DCF25性能参数表

参数 序号	功率	转速	流量	全压	噪音
	Kw	r/min	m ³ /h	(pa)	dB(A)
1	5.5	580	30450	495	≤71
			27917	445	
			25385	477	
			22853	511	
			20319	528	
2	7.5	630	33218	471	≤73
			30455	529	
			27693	568	
			24929	608	
3	11	680	22167	628	≤75
			35987	553	
			32993	621	
			30000	668	
			27007	714	
4	15	730	24014	736	≤77
			38753	642	
			35531	721	
			32308	775	
			29084	828	
			25861	855	

DCF28性能参数表

参数 序号	功率 Kw	转速 r/min	流量 m ³ /h	全压 (pa)	噪音 dB(A)
1	5.5	520	35170	379	≤71
			32586	416	
			2994	448	
			27410	471	
			24819	486	
2	7.5	560	40695	492	≤73
			37707	540	
			34707	584	
			31719	614	
			28719	633	
3	11	600	43711	568	≤72
			40500	622	
			37278	674	
			34068	709	
			30846	730	
4	15	650	46725	650	≤74
			43293	712	
			39849	770	
			36418	810	
			32973	835	
5	18.5	680	49739	735	≤77
			46086	678	
			42420	872	
			38763	918	
			35101	945	

DCF30性能参数表

参数 序号	功率 Kw	转速 r/min	流量 m ³ /h	全压 (pa)	噪音 dB(A)
1	7.5	520	46431	441	≤71
			42390	493	
			38340	530	
			34289	549	
			30200	568	
2	11	570	50468	523	≤73
			46076	583	
			41673	626	
			37270	650	
			32826	672	
3	15	600	53497	586	≤75
			48841	656	
			44174	704	
			39507	729	
			34795	753	
4	18.5	650	56524	656	≤77
			51605	732	
			46674	786	
			41744	816	
			36765	842	
5	22	680	59480	739	≤79
			54302	825	
			49115	886	
			43926	919	
			38688	950	